BY HAND DELIVERY

P E -C, 1853-234								09/829,495		
	(Use several sheets if necessary into 0 1 miles Qian									
			Q.		FILING DATE April 9, 2001		1641 /	344		
				- u 1112						
'EXAMINER INITIAL	<u> </u>	DOCUMENT NUMBER	DATE	PATENT DOCUM	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
Pult		6,245,527	6/12/01	Busfield et al.		_				
TAN	AA	5,976,532	11/2/99	Coller et al.						
	AC	5,969,108	10/19/99	McCafferty et al.		_				
	AD	5,854,005	12/29/98	HColler	•	<u> </u>				
	AE	5,821,047	10/13/98	Garrard et al.						
	AF	5,780,225	7/14/98	Wigler et al.						
	AG	5,733,743	3/31/98	Johnson et al.						
	АН	5,698,426	12/16/97	Huse						
	Al	5,661,016	8/26/97	Lonberg et al.						
i i	AJ	5,658,727	8/19/97	Barbas et al.		-				
	AK	5,633,425	5/27/97	Lonberg et al.		,				
	AL	5,625,126	4/29/97	Lonberg et al.						
	AM	5,601,819	2/11/97	Wong et al.						
	AN	5,585,089	12/17/96	Queen et al.						
	AO	5,580,717	12/3/96	Dower et al.						
	AP	5,573,920	11/12/96	Randle						
	AQ	5,571,698	11/5/96	Ladner et al.						
	AR	5,569,825	10/29/96	Lonberg et al.	· · · · · · · · · · · · · · · · · · ·					
	AS	5,545,806	8/13/96	Lonberg et al.		-				
	AT	5,516,637	5/14/96	Huang et al.		· <u>-</u> -				
	AU	5,459,039	10/17/95	Modrich et al.						
	AV	5,427,908	6/27/95	Dower et al.						
	AW	5,403,484	4/4/95	Ladner et al.						
	AX	5,272,057	12/21/93	Smulson et al.						
	AY	5,225,539	7/6/93	Winter		<u></u>				
	AZ	5,223,409	6/29/93	Ladner et al.						
	ВА	4,925,648	5/15/90	Hansen et al.		·				
	ВВ	4,816,567	3/28/89	Cabilly et al.						
	вс	4,816,397	3/28/89	Boss et al.						
	BD	4,714,681	12/22/87	Reading		<u> </u>				
,	8E	4,676,980	6/30/87	Segal et al.						
V	8F	4,474,893	10/2/84	Reading						

ply N. My

1/13/04

NY2 - 1285027.1

Bo WO 9911662 311199 PCT				FORE	ICN DATENT DOCUME	NTS -					
BS		FOREIGN PATENT DOCUMENTS PECOLOTIC CLASS SUBCLASS TRANSLA					ATION				
BH W0 99/1662			DOCOMENT NUMBER			/	~m w		•	YES	NO
BH W0 99/1962 3/1/99 PCT	Puk	BG	WO 00/68377	11/16/00	PCT			<u> </u>			
BJ WO 95/15982 6/15/95 PCT		ВН	WO 99/11662	3/11/99	PCT	P. P.	- Christian				
RK W0 95/1599		ВІ	WO 97/13844	4/17/97	PCT	a TR	ADE				
Bit WO 95/11259 4/27/95 PCT		ВЈ	WO 95/20401	8/3/95	PCT						
Section		ВК	WO 95/15982	6/15/95	PCT						
BN WO 53/1236 6/10/93 PCT		BL	WO 95/11259	4/27/95	PCT		_ .				_
BN WO 93/11236 6/1093 PCT		√BM	WO 93/17715	9/16/93	РСТ						
BP W0 9/2/2324 12/23/92 PCT		BN	WO 93/11236	6/10/93	РСТ						
BQ W0 92/20791 11/26/92 PCT		во	WO 93/01288	1/21/93	PCT						_
BR W0 92/18619 10/28/92 PCT		BP	WO 92/22324	12/23/92	PCT			•			-
BS WO 92/15679 9/17/92 PCT BT WO 92/09690 6/11/92 PCT BU WO 92/05793 4/16/92 PCT BW WO 92/05793 4/16/92 PCT BW WO 92/01047 1/23/92 PCT BW WO 92/01047 1/23/92 PCT BW WO 91/17271 1/1/4/91 PCT BY WO 91/10737 7/25/91 PCT BZ WO 91/00360 1/10/91 PCT CA WO 90/02809 3/22/90 PCT CB WO 87/02671 5/7/87 PCT CC WO 88/01533 3/13/86 PCT CC WO 88/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 1/1/4/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, 'Nature 377(6547 Suppl):3-174 CI Altschul et al., 1997, 'Gapped BLAST and PSI-BLAST: a new generation of protein database search programs', Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, 'Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins', J. Immunol. Methods 184:177-186 CL Arai et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 Amon et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 Amon et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 Amon et al., 1995, 'Nonoclonal antibodies for immunotargeting of drugs in cancer therapy', in: Monoclonal Antibodies and Cancer Thorapy, Residel et al., eds., Alan R. Liss, Inc., pp. 243-256		BQ	WO 92/20791	11/26/92	PCT						
BT W0 92/08690 6/11/92 PCT BU W0 92/08602 5/29/92 PCT BW W0 92/05793 4/16/92 PCT BW W0 92/01047 1/23/92 PCT BX W0 91/17271 11/14/91 PCT BY W0 91/10737 7/25/91 PCT BZ W0 91/00360 1/10/91 PCT CA W0 90/02809 3/22/90 PCT CB W0 87/02671 5/7/87 PCT CC W0 88/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, 'Noneclonal alignment search toof', J. Mol. Biol. 215/403-410 CJ Allschul et al., 1997, 'Gapped BLAST and PSI-BLAST: a new generation of protein database search programs', Nucleic Acids Res. 25:3389-3402 CK immunoglobulins', J. Immunol. Methods 184:177-186 CL Arai et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 Amon et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 Amon et al., 1995, 'Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency', Br. J. Haernatol. 89:124-130 CM Amon et al., 1995, 'Nonoclonal antibodies for immunotargeting of drugs in cancer therapy', in: Monoclonal Antibodies and Cancer Therapy, Resideld et al., eds., Alan R. Liss, Inc., pp. 243-256		BR	WO 92/18619	10/29/92	РСТ						
BU WO 92/08802 5/28/92 PCT		BS	WO 92/15679	9/17/92	PCT						
BV WO 92/05793 4/16/92 PCT		ВТ	WO 92/09690	6/11/92	PCT						
BW W0 92/01047 1/23/92 PCT		BU	WO 92/08802	5/29/92	PCT						
BX W0 91/17271 11/14/91 PCT BY W0 91/10737 7/25/91 PCT BZ W0 91/00360 1/10/91 PCT CA W0 90/02809 3/22/90 PCT CB W0 87/02671 5/7/87 PCT CC W0 86/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Tille, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377/6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local elignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Arnes et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Amon et al., 1995, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., ets., Jun., pp. 243-256		BV	WO 92/05793	4/16/92	PCT						
BY WO 91/10/37 7/25/91 PCT BZ WO 91/00360 1/10/91 PCT CA WO 90/02809 3/22/90 PCT CB WO 87/02671 5/7/87 PCT CC WO 86/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1995, "Sapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 26:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Amon et al., 1995, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		BW	WO 92/01047	1/23/92	PCT		·				
BZ WO 91/00360 1/10/91 PCT CA WO 90/02809 3/22/90 PCT CB WO 87/02671 57/97 PCT CC WO 86/01533 3/13/86 PCT CD 0184 187 6/11/86 EP CE 0173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Aris et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Arnon et al., 1995, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		ВХ	WO 91/17271	11/14/91	PCT						_
CA WO 90/02809 3/22/90 PCT CB WO 87/02671 577/87 PCT CC WO 86/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP CH Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Arse et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		BY	WO 91/10737	7/25/91	РСТ			_			
CB WO 87/02671 577/87 PCT CC WO 86/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		BZ	WO 91/00360	1/10/91	PCT						
CC WO 86/01533 3/13/86 PCT CD 0 184 187 6/11/86 EP CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of CDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Attschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		CA	WO 90/02809	3/22/90	PCT						
CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		СВ	WO 87/02671	5/7/87	РСТ						
CE 0 173 494 3/5/86 EP CF 0 171 496 2/19/86 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		СС	WO 86/01533	3/13/86	PCT			,			
CF 0 171 496 2/19/86 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		CD	0 184 187	6/11/86	EP						
CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		CE	0 173 494	3/5/86	EP						
CG 0 125 023 11/14/84 EP OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		CF	-	2/19/86	EP						
OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) CH Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256	│			11/14/84	EP	<u> </u>					
Adams et al., 1995, "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence", Nature 377(6547 Suppl):3-174 CI Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256			OTHER RE	FERENCES (In	cluding Author, Title, Da	te, Pertinent P	Pages, Etc.)				·
CJ Altschul et al., 1990, "Basic local alignment search tool", J. Mol. Biol. 215:403-410 CJ Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Aron et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256	TDIA	(()	Adams et al., 1995, "Initial	assessment of	human gene diversity ar			d upon 83	million nuc	leotide	s of
Altschul et al., 1997, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402 CK Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256	141,					-1.045:400.41					
CK Res. 25:3389-3402 Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256	 	CI						earch pro	orams" Ni	ıcleic A	cids
CK immunoglobulins", J. Immunol. Methods 184:177-186 CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 CM Aron et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		Cl	.						-CU-0		
CL Arai et al., 1995, "Platelets with 10% of the normal amount of glycoprotein VI have an impaired response to collagen that results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		ск	Ames et al., 1995, "Conversion of murine Fabs isolated from a combinatorial phage display library to full length								
results in a mild bleeding tendency", Br. J. Haematol. 89:124-130 Arnon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256	-										
Amon et al., 1985, "Monoclonal antibodies for immunotargeting of drugs in cancer therapy", in: Monoclonal Antibodies and Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256		CL									
Cancer Therapy, Reisfeld et al., eds., Alan R. Liss, Inc., pp. 243-256			Amon et al., 1985, "Monoc	ional antibodies	for immunotargeting of		er therapy", in:	Monoclo	nal Antibod	ies and	
		CM					 				

PM, I

NY2 - 1285027.1

TRUK	CN	Asselin et al., 1999, "Monomeric (glycine-proline-hydroxyproline)10 repeat sequence is a partial agonist of the platelet collagen receptor glycoprotein VI", Biochem J. 339(Pt 2):413-418.
	co	Ausubel et al., (eds.), 1989, in: Current Protocols in Molecular Biology, Green Publishing Associates, Inc. and John Wiley & Sons, Inc., NY, p. 6.3.1-6.3.6 and 2.10.3
) E 103	repr	Baldwin et al., (eds.), 1985, "Analysis, results and future prospective of the therapeutic use of radiolabeled antibody in cancer therapy", in: Monoclonal Antibodies for Cancer Detection and Therapy, Academic Press, pp. 303-316
100 0 300	200	Barany, 1991, "Genetic disease detection and DNA amplification using cloned thermostable ligase", Proc. Natl. Acad. Sci. USA 88:189-193
ENT & TRAD	CR	Barnes et al., 1998, "The collagen-platelet interaction", Curr. Opin. Hematol. 5:314-320
	cs	Beidler et al., 1988, "Cloning and high level expression of a chimeric antibody with specificity for human carcinoembryonic antigen", J. Immunol. 141:4053-4060
	ст	Better et al., 1988, "Escherichia coli secretion of an active chimeric antibody fragmen", Science 240:1041-1043
	cu	Briddon and Watson, 1999, "Evidence for the involvement of p59fyn and p53/56lyn in collagen receptor signalling in human platelets", Biochem. J. 338(Pt 1):203-209.
	cv	Brinkmann et al., 1995, "Phage display of disulfide-stabilized Fv fragments", J. Immunol. Meth. 182:41-50
	cw	Burton and Barbas, 1994, "Human antibodies from combinatorial libraries", AdvImmunol. 57:191-280
	сх	Carlsson et al., 1998, "Heparin-induced thrombocytopenia: new insights into the impact of the FcgRlla-R-H131 polymorphism", Blood 92:1526-1531
	СҮ	Chiang and Kang, 1982, "Isolation and purification of collagen alpha 1(I) receptor from human platelet membrane", J. Biol. Chem. 257:7581-7586
	CZ	Chiang et al., 1997, "Cloning, characterization, and functional studies of a nonintegrin platelet receptor for type I collagen", J. Clin. Invest. 100:514-521
	DA	Clemetson, 1995, "Platelet activation: signal transduction via membrane receptors", Thromb. Haemost. 74:111-116
	DB	Clemetson et al., 1999, "The Platelet Collagen Receptor Glycoprotein VI Is a Member of the Immunoglobulin Superfamily Closely Related to FcalphaR and the Natural Killer Receptors", J. Biol. Chem. 274:29019-29024
	DC	Clemetson et al., 1982, "Characterization of the platelet membrane glycoprotein abnormalities in Bernard-Soulier syndrome and comparison with normal by surface-labeling techniques and high-resolution two-dimensional gel electrophoresis", J. Clin. Invest. 70:304-311
	DD	Cole et al., 1985, "The EBV-hybridoma technique and its application to human lung cancer", in: Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., pp. 77-96
	DE	Coligan et al., (eds.), 1992, Current Protocols in Immunology, John Wiley and Sons, New York, p. 2.5.1-2.5.11
		Coller et al., 1985, "A new murine monoclonal antibody reports an activation-dependent change in
	DF	the conformation and/or microenvironment of the platelet glycoprotein IIb/IIIa complex*, J. Clin. Invest. 76:101-108.
	DG	Cotton, 1993, "Current methods of mutation detection", Mutat. Res. 285:125-144
	DН	Cotton et al., 1988, "Reactivity of cytosine and thymine in single-base-pair mismatches with hydroxylamine and osmium tetroxide and its application to the study of mutations", Proc. Natl. Acad. Sci. USA 85:4397-4401
	DI	Cronin et al., 1996, "Cystic fibrosis mutation detection by hybridization to light-generated DNA probe arrays", Hum. Mutat. 7:244-255
	DJ	Ezumi et al., 2000, "Molecular cloning, genomic structure, chromosomal localization, and alternative splice forms of the platelet collagen receptor glycoprotein VI", Biochem. Biophys. Res. Commun. 277:27-36
	ОК	Ezumi et al., 1998, "Physical and functional association of the Src family kinases Fyn and Lyn with the collagen receptor glycoprotein VI-Fc receptor gamma chain complex on human platelets", J. Exp. Med. 188:267-276
	DL	Fan et al., 1987, "Structure of the inhibitory receptor for human natural killer cells resembles haematopoietic receptors" Nature 389:96-100
	DM	Fuchs et al., 1991, "Targeting recombinant antibodies to the surface of Escherichia coli: fusion to a peptidoglycan associated lipoprotein", Bio/Technology 9:1369-1372
	DN	Gibbins et al., 1997, "Glycoprotein VI is the collagen receptor in platelets which underlies tyrosine phosphorylation of the Fc
		1/12/11

py s. of

13/04 NY2-12

		· · · · · · · · · · · · · · · · · · ·
RIK	DO	Gibbins et al., 1998, "The p85 subunit of phosphatidylinositol 3-kinase associates with the Fc receptor gamma-chain and linke for activitor of T cells (LAT) in platelets stimulated by collagen and convulxin", J. Biol. Chem. 273:34437-34443
	DP	Gibbs et al., 1989, "Detection of single DNA base differences by competitive oligonucleotide priming", Nucleic Acids Res. 17:2437-2448
PE PO	DQ	Griffiths et al., 1993, "Human anti-self antibodies with high specificity from phage display libraries", EMBO J. 12:725-734
AUF O , DUR	DR	Handa et al., 1995, "Platelet unresponsiveness to collagen: involvement of glycoprotein la-lla (alpha 2 beta 1 integrin)
	/ —	deficiency associated with a myeloproliferative disorder", Thromb. Haemost. 73:521-528
TE TRACE	DS	Hanson et al., 1982, "Pharmacologic modification of acute vascular graft thrombosis", Scan. Electron Microsc. II:773-779
	DT	Hay et al., 1992, "Bacteriophage cloning and Escherichia coli expression of a human IgM Fab", Hum. Antibod. Hybridomas 3:81-85
	ַטם	Hayashi, 1992, "PCR-SSCP: a method for detection of mutations", Genet. Anal. Tech. Appl. 9:73-79
	DV	Heemskerk et at., 1999, "Function of glycoprotein VI and integrin alpha2beta1 in the procoagulant response of single, collagen-adherent platelets", Thromb. Haemost. 81:782-792
	DW	Hellström et al., 1987, "Antibodies for drug delivery", in: <u>Controlled Drug Delivery</u> , 2 nd ed., Robinson et al., eds., Marcel Dekke Inc., pp. 623-653
	DX	Horton (ed.), 1995, "Preclinical development of c7E3 Fab; a mouse/human chimeric monoclonal antibody fragment that inhibit platelet function by blockade of GPIIb/IIIa receptors with observations on the immunogenicity of c7E3 Fab in humans", in: Adhesion Receptors as Therapeutic Targets, Chapter 15 by Jordan et al., CRC Press, London, England
	DY	Hsu et al., 1994, "Detection of DNA point mutations with DNA mismatch repair enzymes", Carcinogenesis 15:1657-1662
	DZ	Huse et al., 1989, "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda", Science 246:1275-1281
	EA	Ichinohe et al., 1997, "Collagen-stimulated activation of Syk but not c-Src is severely compromised in human platelets lacking membrane glycoprotein VI", J. Biol. Chem. 272:63-68
	EΒ	Ichinohe et al., 1995, "Cyclic AMP-insensitive activation of c-Src and Syk protein-tyrosine kinases through platelet membrane glycoprotein VI", J. Biol. Chem. 270:28029-28036
	EC	Inoue et al., 1999, "Signal transduction pathways mediated by glycoprotein Ia/IIa in human platelets: comparison with those of glycoprotein VI", Biochem. Biophys. Res. Commun. <u>256</u> :114-120
	ED	Ishibashi et al., 1993, "Purification of p62, a putative platelet collagen receptor, and its functional significance in collagen-induced platelet aggregation". XIVth Congress of the International Society on Thrombosis and Haemostasis, New York. Thrombosis and Haemostasis Abstract No. 1638.
	EE	Ishibashiet al., 1995, "Functional significance of platelet membrane glycoprotein p62 (GP VI), a putative collagen receptor", Int. J. Hematol. 62:107-115
	EF	Jandrot-Perrus et al., 2000, "Cloning, characterization, and functional studies of human and mouse glycoprotein VI: a platelet specific collagen receptor from the immunoglobulin superfamily", Blood 96(5): 1798-1807
	EG	Jandrot-Perrus et al., 1997, "Adhesion and activation of human platelets induced by convulxin involve glycoprotein VI and integrin alpha2beta1", J. Biol. Chem. 272:27035-27041
	ЕН	Janeway et al., eds., 1999, <u>Immunobiology: The Immune System in Health and Disease</u> , 4 [®] Ed., Current Biology Publications Elsevier Science, London, UK, p. 87
	ΕI	Jespers et al., 1994, "Guiding the selection of human antibodies from phage display repertoires to a single epitope of an antigen", Bio/Technology 12:899-903
	EJ	Jones et al., 1986, "Replacing the complementarity-determining regions in a human antibody with those from a mouse", Natu 321:552-525
	EK	Karlin and Altschul, 1990, "Methods for assessing the statistical significance of molecular sequence features by using general scoring schemes", Proc. Natl. Acad. Sci. USA 87:2264-2268
	EL	Karlin and Altschul, 1993, "Applications and statistics for multiple high-scoring segments in molecular sequences", Proc. Nat Acad. Sci. USA 90:5873-5877
 		Keen et al., 1991, "Rapid detection of single base mismatches as heteroduplexes on Hydrolink gels", Trends Genet. 7:5

NY2 - 1285027.1

Puk	EN	Kehrel et al., 1998, "Glycoprotein VI is a major collagen receptor for platelet activation: it recognizes the platelet-activating quaternary structure of collagen, whereas CD36, glycoprotein IIb/IIIa, and von Willebrand factor do not", Blood 91:491-499
	EO	Kettleborough et al., 1994, "Isolation of tumor cell-specific single-chain Fv from immunized mice using phage-antibody libraries and the re-construction of whole antibodies from these antibody fragments", Eur. J. Immunol. 24:952-958
PE JC,	EP	Knight et al., 1999, "Collagen-platelet interaction: Gly-Pro-Hyp is uniquely specific for platelet Gp VI and mediates platelet activation by collagen", Cardiovasc. Res. 41:450-457
1	184	Kohler and Milstein, 1975, "Continuous cultures of fused cells secreting antibody of predefined specificity", Nature 256:495-497
1712 0 1 1814	7 🖽	Keetalay et al., 1993. "Formation of a hispecific antibody by the use of leucine zippers", J. Immunol. 148:1547-1553
Me TRA	¥ ES	Kotite and Cunningham, 1986, "Specific adsorption of a platelet membrane glycoprotein by human insoluble collagen", J. Biol Chem. 261:8342-8347
180	ET	Kozal et al., 1996, "Extensive polymorphisms observed in HIV-1 clade B protease gene using high-density oligonucleotide arrays", Nature Med. 2:753-759
	EU	Lagrue et al., 1999, "Phosphatidylinositol 3'-kinase and tyrosine-phosphatase activation positively modulate Convulxin-induced platelet activation. Comparison with collagen", FEBS Lett. 448:95-100
	EV	Lefkovits et al., 1995, "Platelet glycoprotein Ilb/Illa receptors in cardiovascular medicine", N Engl J Med. 332(23):1553-9
	EW	Liu et al., 1987, "Production of a mouse-human chimeric monoclonal antibody to CD20 with potent Fc-dependent biologic activity", J. Immunol. 139:3521-3526
	EX	Liu et al., 1987, "Chimeric mouse-human IgG1 antibody that can mediate lysis of cancer cells", Proc. Natl. Acad. Sci. USA 84:3439-3443
	EY	Lonberg and Huszar, 1995, "Human antibodies from transgenic mice", Intern. Rev. Immunol. 13:65-93
	ΕZ	Loscalzo and Schaefer (eds.), Von Willebrand Factor**, 1998, in: Thrombosis and Hemorrhage, 2 nd ed., Chapter 16 by Rugge et al., Williams & Wilkins, Baltimore, MD, pp. 337-364
	FA	Maliszewski et al., 1990, "Expression cloning of a human Fc receptor for IgA", J. Exp. Med. 172:1665-1672
	FB	Martin et al., 1996, "Colon-cancer cell variants producing regressive tumors in syngeneic rats, unlike variants yielding progressive tumors, attach to interstitial collagens through integrin αa2β1", Int. J. Cancer. 65:796-804
	FC	Miura et al., 2000, "Cloning and expression of the platelet-specific collagen receptor glycoprotein VI", Thromb. Res. 98:301-309
	FD	Moroi et al., 1989, "A patient with platelets deficient in glycoprotein VI that lack both collagen-induced aggregation and adhesion", J. Clin. Invest. 84:1440-1445
	FE	Moroi et al, 1996, "Analysis of platelet adhesion to a collagen-coated surface under flow conditions: the involvement of glycoprotein VI in the platelet adhesion" Blood 88:2081-2092
	FF	Moroi and Jung, 1997, "Platelet receptors for collagen", Thromb. Haemost. 78:439-444
	FG	Morrison, 1985, "Transfectomas provide novel chimeric antibodies", Science 229:1202-1207
	FH	Moshfegh et al., 1999, "Association of two silent polymorphisms of platelet glycoprotein la/lla receptor with risk of myocardial infarction: a case-control study", Lancet 353(9150):351-354
	FI_	Mullinax et al., 1992, "Expression of a heterodimeric Fab antibody protein in one cloning step", Biotechniques 12:864-869
	FJ	Myers et al., 1985, "Detection of single base substitutions by ribonuclease cleavage at mismatches in RNA:DNA duplexes", Science 230:1242-1246
	FK	Nakamura et al., 1998, "Platelet adhesion to native type I collagen fibrils. Role of GPVI in divalent cation-dependent and -independent adhesion and thromboxane A2 generation", J. Biol. Chem. 273:4338-4344
	FL	Nielsen et al., 1997, "Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites", Proteing. 10:1-6
	FM	Nishimura et al., 1987, "Recombinant human-mouse chimeric monoclonal antibody specific for common acute lymphocytic leukemia antigen", Cancer Res. 47:999-1005
i	FN	Oi et al., 1986, "Chimeric Antibodies", Bio/Techniques 4:214-221
1	FO	Orita et al., 1989, "Detection of polymorphisms of human DNA by gel electrophoresis as single-strand conformation polymorphisms", Proc. Natl. Acad. Sci. USA 86:2766-2770

745.3

•			
77	H	FP	Pearson and Lipman, 1988, "Improved tools for biological sequence comparison", Proc. Natl. Acad. Sci. USA 85:2444-2448
7		FQ	Persic et al., 1997, "An integrated vector system for the eukaryotic expression of antibodies or their fragments after selection from phage display libraries", Gene 187:9-18
 	\dagger	FR	Pfam: http://pfam.wustl.edu Accession No. PF00047 "Immunoglobulin domain" (Bateman and Sonnhammer)
TP	E	-	Phillips and Agin, 1977, "Platelet plasma membrane glycoproteins. Evidence for the presence of nonequivalent disulfide.
δ,,	'	C SS	bonds using nonreduced-reduced two-dimensional gel electrophoresis*, J. Biol. Chem. 252:2121-2126
O BUA	1 20	ordice	Polgar et al., 1997, "Platelet activation and signal transduction by convulxin, a C-type lectin from Crotalus durissus terrificus (tropical rattlesnake) venom via the p62/GPVI collagen receptor", J. Biol. Chem. 272:13576-13583
ENT &		0/	Poole et al., 1997, "The Fc receptor gamma-chain and the tyrosine kinase Syk are essential for activation of mouse platelets
			by collagen", EMBO J. 16:2333-2341
 	-	۴۷	Quek et al., 1998, "A role for Bruton's tyrosine kinase (Btk) in platelet activation by collagen", Curr. Biol. 8:1137-1140
		FW	Rosenbaum and Riesner, 1987, "Temperature-gradient gel electrophoresis. Thermodynamic analysis of nucleic acids and proteins in purified form and in cellular extracts", Biophys. Chem. 26:235-246
		FX	Ryo et al., 1992, *Deficiency of P62, a putative collagen receptor, in platelets from a patient with defective collagen-induced platelet aggregation*, Am. J. Hematol. 39:25-31
		FY	Saiki et al., 1986, "Analysis of enzymatically amplified beta-globin and HLA-DQ alpha DNA with allele-specific oligonucleotide probes", Nature 324:163-166
		FZ	Saiki et al., 1989, "Genetic analysis of amplified DNA with immobilized sequence-specific oligonucleotide probes", Proc Natl Acad Sci U S A. 86:6230-6234
		GA	Saleeba and Cotton, 1993, "Chemical cleavage of mismatch to detect mutations", Methods Enzymol. 217:286-295.
		GB	Sawai et al., 1995, "Direct production of the Fab fragment derived from the sperm immobilizing antibody using polymerase chain reaction and cDNA expression vectors", Am. J. Reprod. Immunol. 34:26-34
		GC	Sugiyama et al., 1987, "A novel platelet aggregating factor found in a patient with defective collagen-induced platelet aggregation and autoimmune thrombocytopenia", Blood 69:1712-1720
		GD	Shaw et al., 1988, "Mouse/human chimeric antibodies to a tumor-associated antigen: biologic activity of the four human IgG subclasses", J. Natl. Cancer Inst. 80:1553-1559
		GE	Sugiyama et al., 1993, "Functional role of the antigen recognized by an antiplatelet antibody specific for a putative collagen receptor in platelet-collagen interaction", Int. J. Hematol. 58:99-104
		GF	Sixma et al., 1995, "Platelet Adhesion to Collagen", Thromb. Haemostas. 74:454-459
		GG	Sun et al., 1987, "Chimeric antibody with human constant regions and mouse variable regions directed against carcinoma-associated antigen 17-1A", Proc. Natl. Acad. Sci. USA 84:214-218
		GН	Takahashi et al., 1995, "Platelet membrane glycoprotein VI (GPVI) is necessary for collagen-induced aggregation and adhesion and anti-GP VI antibody induces platelet aggregation: An evidence obtained from a patient with systemic lupus erythematosus", Thromb Haemostas. 73:1197 (Abstract)
		GI	Thorpe et al., 1982, "The preparation and cytotoxic properties of antibody-toxin conjugates", Immunol. Rev. 62:119-158
		GJ	Tonra and Mendell, 1997, "Rabbit IgG distribution in skin, spinal cord and DRG following systemic injection in rat", J.
		GK	Neuroimmunol. 80:97-105 Torelli and Robotti, 1994, "ADVANCE and ADAM: two algorithms for the analysis of global similarity between homologous
		GL	informational sequences", Comput. Appl. Biosci. 10:3-5 Tsuji et al., 1997, "A novel association of Fc receptor gamma-chain with glycoprotein VI and their co-expression as a collagen
	_	GM	receptor in human platelets", J. Biol. Chem. 272:23528-23531 Tutt et al., 1991, "Trispecific F(ab'), derivatives that use cooperative signaling via the TCR/CD3 complex and CD2 to activate
			and redirect resting cytotoxic T cells", J. Immunol. 147:60-69
\vdash		GN	Van Zanten et al., 1994, "Increased platelet deposition on atherosclerotic coronary arteries", J. Clin. Invest. 93:615-632
	/	GO	Verhoeyen et al., 1988, "Reshaping human antibodies: grafting an antilysozyme activity", Science 239:1534-1536
\	′	GP	Verkleij et al., 1998, "Simple collagen-like peptides support platelet adhesion under static but not under flow conditions: interaction via alpha2 beta1 and von Willebrand factor with specific sequences in native collagen is a requirement to resist
			shear forces", Blood 91:3808-3816

74 N. A

• [4	Mc		At a still and a still adding in Wage!* Notice 314:446-449
ļ		K.	GQ	Wood et al., 1985, "The synthesis and <i>in vivo</i> assembly of functional antibodies in yeast", Nature 314:446-449
			GR	www.ncbi.nlm.nih.gov Genbank Accession No. AA308708 "EST179519 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to EST containing Alu repeat, mRNA sequence" (Adams, M.D. et al.)
	SIF		Cos	www.ncbi.nlm.nih.gov Genbank Accession No. AA494446 *ne38a02.s1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:899594 3', mRNA sequence* (NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap)
是	AUS O	1 200	33140	www.ncbi.nlm.hih.gov. Genbank Accession No. AB035073 "Homo sapiens mRNA for platelet glycoprotein VI, complete cds" (Miura, Y.)
3	Yra r	RADEM	G G	www.ncbi.nlm.πih.gov Genbank Accession No. AB043819 "Homo sapiens GPVI mRNA for platelet glycoprotein VI-3, complete cds" (Ezumi and Takayama)
			GV	www.ncbi.nlm.nih.gov. Genbank Accession No. AB043820 "Homo sapiens GPVI mRNA for platelet glycoprotein VI-1, complete cds", (Ezumi and Takayama)
			GW	www.ncbi.nlm.nih.gov. Genbank Accession No. AB043821 "Homo sapiens GPVI mRNA for platelet glycoprotein VI-2, complete cds", (Ezumi and Takayama)
			GX	www.ncbi.nlm.nih.gov. Genbank Accession No. AB043943 "Homo sapiens GPVI gene for platelet glycoprotein VI, partial cds", (Ezumi and Takayama)
			GY	www.ncbi.nlm.nih.qov. Genbank Accession No. AX046772 "Sequence 1 from Patent WO 00/68377" (Clemetson, K.J.)
			GZ	www.ncbi.nlm.nih.gov. Genbank Accession No. NM_016363 "Homo sapiens platelet glycoprotein VI (GPVI), mRNA" (Ezumi et al.)
		/	НА	www.ncbi.nlm.nih.gov Genbank Accession No. U91928 "Human clone HL9 monocyte inhibitory receptor precursor mRNA, complete cds" (Arm, J.P.)
	EXAM	IINER		PG J. DATE CONSIDERED 1/13/04
Ī	*EXA	MINER	t: Initial	if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not an one considered. Include copy of this form with next communication to applicant.